

KIMTECH™

Be Your Best with Kimtech™ Lab Gloves

Working hand in hand to protect
the Scientist and the Science.



 **Kimberly-Clark**
PROFESSIONAL™

Why KIMTECH™?

Kimberly-Clark Professional™ partners with you to create exceptional workplaces, making them **healthier, safer and more productive**. When you work in challenging environments with no margin for error, count on Kimtech™ products to **protect** your critical processes and the people who perform them. We **understand** the risks and costs associated with contamination, Kimtech™ products are designed for **precision** tasks and exacting performance. We partner with you to deliver **seamless, worry-free** performance that minimise risk and maximise performance.



Protect the Scientist

Laboratory Safety is your #1 Priority. Kimtech™ gloves are specifically designed to protect Scientists from Chemical Splash and Micro-Organism Hazards.

- › EN ISO 374-1 Chemical splash protection certification
- › EN 374-4 Resistance to degradation by chemicals
- › EN ISO 374-5 Micro Organism and Virus protection, the highest level of micro-organism protection possible for laboratory gloves
- › Non detectable level of chemical accelerators to mitigate risk of skin irritation



Protect the Science

Protection of procedures and assays from contamination is vital. Contamination costs time, money and credibility.

- › Manufactured to reduce levels of residuals⁽¹⁾
- › Certificates of Analysis available for each production lot⁽¹⁾
- › Non detectable levels of silicone and amide



Assured Compliance

Kimberly-Clark Professional™ makes it easy to demonstrate compliance with Laboratory gloves.

- › PPE Category III Certified for protecting from Chemical Splash and Micro-Organism Hazards
- › Publish Certificates of Analysis (CoA) with every production lot to provide you with assurance of barrier quality and cleanliness of the gloves¹
- › Our website www.kimtech.eu is a rich source of on-line documents, including Technical Data Sheets, Declaration of Conformity and Certificates of Analysis

¹for Kimtech™ Prizm™ / Prizm™ Xtra / Purple Nitrile / Purple Nitrile™ Xtra™ / Sterling™ Nitrile / Sterling™ Nitrile-Xtra™ Gloves only

Kimtech™ Prizm Gloves

Multi- Layered Neoprene Nitrile



- › Crafted with a proprietary combination of polymers proven to protect against a wide range of common chemicals
- › Ultra fingertip grip helps to reduce risk of drops and breakage accidents, even when wet
- › Certified ergonomic comfort ensuring comfort in-use without compromising protection
- › Multi-coloured dark violet and dark magenta design to enhance wearer safety by visually identifying mechanical breaches
- › Tested against a wide range of cytotoxic drugs
- › Nitrile accelerator-free donning layer, reducing the risk of allergic reaction



Designed for Scientists by Scientists, Kimtech™ Prizm™ Gloves provide an unparalleled combination of precision, protection and comfort. These lab gloves are thoughtfully and intuitively designed for higher risk lab environments in the biotech, non-sterile pharmaceutical, and university research fields, where science and safety must work hand-in-hand. Crafted with a proprietary combination of polymers, neoprene and nitrile, proven to protect against a wide range of chemicals. Ultra fingertip grip design helps to reduce drops and breakage accidents in both dry and wet conditions. Certified ergonomic comfort and best-in-class dexterity to ensure user satisfaction without compromise. Environmentally friendly, these gloves are recyclable via The RightCycle™ Programme. The innovative multi-layered technology ensures Kimtech™ Prizm™ disposable gloves are one of the thinnest Type A certified gloves available today.

Our #1 choice for the most demanding scientific applications.

Assured Compliance: PPE Cat III according to Regulation (EU) 2016/425, EN ISO 374-1:2016 Type A (JKLMPT) Chemical Splash protection, EN 374-4:2014 Resistance to degradation by chemicals, EN ISO 374-5:2016 Micro Organism and Virus protection.

Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Prizm™ Multi Layered Neoprene-Nitrile Gloves, 24/25cm	99221	99222	99223	99224	99225	100 / 10 (XL = 90/10)	1000 (XL = 900)
Kimtech™ Prizm™ Xtra™ Multi Layered Neoprene-Nitrile Gloves, 30cm	99251	99252	99253	99254	99255	50/100	500



CE 0598

JKLMPT

VIRUS

Kimtech™ Purple Nitrile™ Gloves

- › Featuring high levels of protection, cleanliness and quality.
- › Nitrile construction results in products that are stronger and leaner than latex gloves, and feature better protection against a wider range of chemicals, including cytotoxic drugs.
- › Textured fingertips enhance grip and tactile sensitivity for safer and more efficient processes.
- › Beaded cuffs add strength to the gloves, reducing the risk of tearing and increasing their durability, while also reducing roll down for easier donning and doffing.
- › Contain no natural rubber latex, silicone or powder, reducing the risks of skin irritation for the wearer. Available in two lengths.



Kimtech™ Purple Nitrile™ gloves keep hands comfortable while ensuring a high level of protection and contamination control in challenging life sciences and pharmaceutical manufacturing environments.

Assured Compliance: PPE Cat III according to Regulation (EU) 2016/425, EN ISO 374-1:2016 Type B (JKT) Chemical Splash protection, EN 374-4:2014 Resistance to degradation by chemicals, EN ISO 374-5:2016 Micro Organism and Virus protection, Food contact approved




Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Purple Nitrile™ Gloves, 24/25 cm	90625	90626	90627	90628	90629	100 / 10 (XL = 90/10)	1,000 (XL = 900)
Purple Nitrile™ Xtra™ Gloves, 30 cm	97610	97611	97612	97613	97614	50 / 10	500



CE 0123

Certificate of Analysis (CoA) with every production lot

(for Kimtech™ Prizm™ & Prizm™ Xtra / Purple Nitrile™ / Purple Nitrile™ Xtra™ / Sterling™ Nitrile / Sterling™ Nitrile Xtra™ Gloves only)



Kimtech™ Sterling™ Nitrile Gloves

- › Manufactured using proprietary Sterling™ technology that combines security and comfort. The efficient, environmentally-friendly construction minimises waste without compromising safety.
- › Nitrile construction results in products that are stronger and leaner than latex gloves, and feature certified protection against a wide range of contaminants while also being food contact approved.
- › Gloves are anti-static tested to protect the wearer and equipment, ambidextrous and grey in colour.
- › Textured fingertips enhance grip and tactile sensitivity for safer and more efficient processes.
- › Beaded cuffs add strength to the gloves, reducing the risk of tearing and increasing their durability, while also reducing roll down for easier donning and doffing.
- › Contain no natural rubber latex, silicone or powder, reducing the risks of skin irritation for the wearer.
- › Available in two lengths.



Kimtech™ Sterling™ Nitrile Ambidextrous Gloves ensure excellent contamination control with innovative, skin-friendly nitrile suitable for a variety of applications. The gloves are powder and latex free, featuring beaded cuffs and textured fingertips.

Assured Compliance: PPE Cat III according to Regulation (EU) 2016/425, EN ISO 374-1:2016 Type C (K) Chemical Splash protection, EN 374-4:2014 Resistance to degradation by chemicals, EN ISO 374-5:2016 Micro Organism and Virus protection, Food contact approved

Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Sterling™ Nitrile Gloves, 24/25 cm	99210	99211	99212	99213	99214	150 / 10 (XL= 140/10)	1,500 (XL=1400)
Kimtech™ Sterling™ Nitrile-Xtra™ Gloves, 30 cm	98341	98342	98343	98344	98345	100 / 10 (XL = 90/10)	1,000 (XL=900)



Kimtech™ Green Nitrile Gloves

- › Textured finish enhances grip and tactile sensitivity.
- › Beaded cuffs reducing the risk of tearing and increasing durability.

Kimtech™ Green Nitrile Ambidextrous Gloves offer superb protection with an environmentally-friendly glove thickness of just 0.09 mm.

The comfortable design is powder- and latex-free and guards against a number of common contaminants.



Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Green Nitrile Gloves, 24/25 cm	99850	99851	99852	99853	99854	250 / 6 (XL = 225/6)	1,500 (XL = 1,350)



Kimtech™ Blue Nitrile Gloves

- › Smooth bisque finish to enhance grip and tactile sensitivity in wet or dry conditions.
- › Beaded cuffs reducing the risk of tearing and increasing durability.

Kimtech™ Blue Nitrile Ambidextrous Gloves provide excellent tactile sensitivity and superb grip in wet and dry environments. The latex, silicone and powder free gloves are engineered for a comfortable, skin friendly fit and extended use.



Description	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Blue Nitrile Gloves, 24/25 cm	97982	97983	97984	97985	100 / 10 (XL= 90 / 10)	1,000 (XL=900)



CE 0598

Kimtech™ PFE Latex Gloves

- › Textured palm and fingertips enhance grip and tactile sensitivity.
- › Powder free rubber latex to reduce the risks of skin irritation.

Kimtech™ PFE Latex Ambidextrous Gloves provide comfortable, skin-friendly contamination protection. The non-sterile PFE latex gloves also feature a textured finish and beaded cuff to add strength and simplify donning.



Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ PFE Latex Gloves, 24/25 cm	E110	E220	E330	E440	E550	100 / 10	1,000
Kimtech™ PFE-Xtra Latex Gloves, 30 cm		50501	50502	50503	50504	50 / 10	500



CE 0598

Kimtech™ Satin Plus Latex Gloves

- › Smooth finish for excellent tactile sensitivity.
- › Powder free rubber latex to reduce the risks of skin irritation.

Kimtech™ Satin Plus Latex Ambidextrous Gloves feature a smooth finish that is ideal for double donning and delivers sensitivity and performance in many applications. The non-sterile latex gloves are also rigorously tested and feature a beaded cuff.











Description	XS	S	M	L	XL	Gloves / Box	Total / Case
Kimtech™ Satin Plus Latex Gloves, 24/25 cm	SP2110E	SP2220E	SP2330E	SP2440E	SP2550E	100 / 10 (XL = 90/10)	1,000 (XL=900)



CE 0598

Kimtech™ Laboratory Gloves Selection Guide

	Product Code	Description	Sizing	Chemical Protection EN ISO 374-1	Biohazard Protection EN ISO 374-5	AQL	Glove Length		Chemical
	99251 - 99255	Prizm™ Xtra™ Multi Layered Neoprene-Nitrile Gloves	XS - XL	Type A (JKLMPT)	Virus	0.65	30cm	+ CHEMICAL PROTECTION LEVEL	HIGHEST Chemotherapy & High Risk Applications
	99221 - 99225	Prizm™ Multi Layered Neoprene-Nitrile Gloves	XS - XL	Type A (JKLMPT)	Virus	0.65	24-25cm		
	97610- 97614	Purple Nitrile™ Xtra™ Gloves	XS - XL	Type B (JKT)	Virus	0.65	30cm		
	90625 -90629	Purple Nitrile™ Gloves	XS - XL	Type B (JKT)	Virus	0.65	24-25cm		
	98341 -98345	Sterling™ Nitrile Xtra™ Gloves	XS - XL	Type C (K)	Virus	0.65	30cm		Moderate chemical splash
	99210 -99214	Sterling™ Nitrile Gloves	XS - XL	Type C (K)	Virus	0.65	24-25cm		
	99850 -99854	Green Nitrile Gloves	XS - XL	Type C (K)	Virus	0.65	24-25cm		
	97982 - 97985	Blue Nitrile Gloves	S-XL	Type C (K)	Virus	1.5	24-25 cm		
	50501 -50504	PFE-Xtra Latex Gloves	S - XL	Type C (K)	Virus	1.5	30cm		LOWEST Low risk - Light splash
	E110 -E550	PFE Latex Gloves	XS - XL	Type C (K)	Virus	1.5	24-25cm		
	SP2110E -SP2550E	Satin Plus Latex Gloves	XS - XL	Type C (K)	Virus	1.5	24-25cm		



Kimtech™ A7 P+ Laboratory Coat

- › High quality disposable laboratory coats with triple stitched seams and breathable, multi-layered material.
- › Enhanced all-round protective features are included, such as high mandarin collars, thumb-loops and extra-length arms to fit lab gloves over coats.
- › The coats are individually packed making them suitable for ISO 7 (Grade C) areas.

With a cloth-like feel and a reduced risk of heat stress, Kimtech™ A7 P+ lab coats ensure contamination control during extensive periods of use. Made from non-woven SMS fabric with triple stitched seams, they are silicone and latex free.



Description	S	M	L	XL	XXL	Total / Case
Kimtech™ A7 P+ Laboratory Coat	97700	97710	97720	97730	97740	15



Kimtech™ Science Wipes

- › For delicate equipment, surfaces, optics and materials, our low-lint and high absorbency white wipes have you covered.
- › Light duty, white-coloured wipes made from 100% pure fibre.
- › Provided in a hygienic, user-friendly pop-up box.

Precision Wipes

Low-lint, high absorbency and chemically inert wipes for delicate tasks and instrumentation in a range of applications. The 1-ply white-coloured wipes are provided in a convenient pop-up box.

Product Code	Sheets / Box	Ply	Colour	Size W x L	Total / Case
7551	196 x 15	1	White	30.5 x 30.5 cm	2,940
7552	280 x 30	1	White	11.5 x 21 cm	8,400



Delicate Task Wipes

Low-lint, high absorbency and chemically inert wipes for delicate tasks and instrumentation in a range of applications. The 2-ply white-coloured whites are provided in a convenient pop-up box.

Product Code	Sheets / Box	Ply	Colour	Size W x L	Total / Case
7557	100 x 24	2	White	20 x 21 cm	2,400
7558	200 x 15	2	White	20 x 20.5 cm	3,000



WYPALL®

THE RIGHT TOOL FOR EVERY TASK



WypAll® Paper Wiping Range

Our WypAll® paper wipers excel when a single-use wiper for mopping up spills, cleaning hands and wiping surfaces is needed. The range is separated into Cleaning & Hygiene and Production & Maintenance pillars with task-linked products designed to meet the different needs in each.

Cleaning & Hygiene environments: Restaurants, canteens, Horeca, Offices and Healthcare (wipers tend to be smaller and more portable).

Production & Maintenance environments: manufacturing, metal, garages and service centres (wipers tend to be large with bigger sheet sizes).

Product Description	Code	Ply	Case Count	Sheet size L x W in cm	Dispenser Code
WypAll® L20 Cleaning and Maintenance Wiping Paper - Jumbo Roll - Extra wide - Blue	7301	2	1x500	38 x 33	6146, 6154, 6155
WypAll® L20 Cleaning and Maintenance Wiping Paper - Jumbo Roll - Blue	7300	2	1x500	38 x 23.5	6146, 6154, 6155
WypAll® L20 Industrial Wiping Paper - Centrefeed - White	7303	2	6x300	42.5 x 18.5	7017
WypAll® L30 Industrial Wiping Paper Jumbo Roll - Extra Wide - Blue	7426	3	1x 670	38 x 37	6146, 6154, 6155
WypAll® L40 Hand & Face Wipes - Quarterfold - White	7471	1	18x56	30.4 x 31.7	7969

INTRODUCING OUR NEW WYPALL® REACH™ SYSTEM

Product Description	Code	Ply	Case Count	Sheet size L x W in cm	Dispenser Code
WypAll® Reach™ Service & Retail Wiping Paper - Centrefeed / Blue	6220	1	6 x 280	38 x 18.3	6221
WypAll® Reach™ Food & Hygiene Wiping Paper - Centrefeed / White	6222	1	6 x 430	38 x 23.5	6221
WypAll® Reach™ Food & Hygiene Wiping Paper - Centrefeed / Blue	6223	1	6 x 430	38 x 18.3	6221

WypAll® X Cloths

The reusable WypAll® X Cloths are absorbent and solvent resistant and strong enough to tackle tough tasks, whilst also designed to be cost and time efficient. Using the patented HYDROKNIT™ Material, WypAll® X Cloths keep their shape and can be used again and again. In addition, the unique PowerPockets technology helps trap dirt and grime quicker and more effectively, leaving surfaces cleaner and reducing waste.


Product Description	Code	Ply	Case Count	Sheet size L x W in cm	Dispenser Code
WypAll® X60 Cloths - Large Roll White	6036	1	1x750	38 x 42	6146, 6154, 6155
WypAll® X70 Cloths - Quarter Fold White	8387	1	12x76	30.5 x 31.8	7969
WypAll® X70 Cloths - Large Roll White	8384	1	1x500	38 x 42	6146, 6154, 6155
WypAll® X80 Cloths - Large Roll White	8377	1	1x475	34 x 31.5	6146, 6154, 6155



Chemical Permeation Data

Our website is a rich source of data for your business, visit www.kimtech.eu for:


- **Glove chemical permeation data:** from the top menu select “Resources” and then “Chemical Permeation”
- **Certificate of Analysis and Certificate of Irradiation:** from the top menu select “Resources” and then “Certificate”



KIMTECH

Chemical Permeation Data (Table 1) - Summary

Material	Chemical	Permeation Coefficient (cm³ cm⁻² s⁻¹)	Permeation Coefficient (cm³ cm⁻² s⁻¹)	Permeation Coefficient (cm³ cm⁻² s⁻¹)	Permeation Coefficient (cm³ cm⁻² s⁻¹)	Permeation Coefficient (cm³ cm⁻² s⁻¹)	Permeation Coefficient (cm³ cm⁻² s⁻¹)
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0
Latex	Acetone	1.0	1.0	1.0	1.0	1.0	1.0








Submit and download your PDF



Assured Compliance

European Personal Protective Equipment Regulation (EU) 2016/425 – PPE Cat III Complex Design:
For use in applications where effects are irreversible or mortal risk is present.

Hand Protection – Chemical Splash Protection



Old:  <p>EN374-1:2003 Low Chemical Protection Protection against Chemical Splash. Ask Manufacturer for breakthrough times against of chemicals being used. Test: Permeation EN374- 3:2003</p>		<p>EN 374-3 :2003</p>  <p>XYZ</p> <p>EN374-3:2003 Chemical Protection Protection against Chemical Permeation. List of 12 chemicals, each assigned a letter a to l, breakthrough time of >30 minutes on at least 3 chemicals. Test: Permeation EN374-3:2003</p>
New: <p>EN ISO 374-1:2016 / Type C</p>  <p>Type C: At least Level 1 performance (more than 10 minutes) against at least 1 chemical on the list. Test: Permeation EN 16523-1:2015</p>	<p>EN ISO 374-1:2016 / Type B</p>  <p>XYZ</p> <p>Type B: At least Level 2 performance (more than 30 minutes) against at least 3 chemicals on the list. Test: Permeation EN 16523-1:2015</p>	<p>EN ISO 374-1:2016 / Type A</p>  <p>UVWXYZ</p> <p>Type A: At least Level 2 performance (more than 30 minutes) against at least 6 chemicals on the list. Test: Permeation EN 16523-1:2015</p>

Existing List of 12 Chemicals

Additional 6 Chemicals

A Methanol B Acetone C Acetonitrile D Dichloromethane E Carbon disulphide F Toluene	G Diethylamine H Tetrahydrofuran I Ethyl acetate J n-heptane K Sodium hydroxide 40% L Sulphuric acid 96%	M Nitric acid 65% N Acetic acid 99% O Ammonium hydroxide 25% P Hydrogen peroxide 40% S Hydrofluoric acid 40% T Formaldehyde 37%
--	---	--

Hand Protection – Micro-organisms hazard protection

<p>EN 374-2 :2003</p>  <p>> Level 2</p> <p>EN374-2:2003 Micro-organism hazard protection against micro-organisms, Level 3 - AQL 0.65 / Level 2 - AQL 1.5 Test: water-tightness, ISO2859 sampling by lot.</p>	<p>EN ISO 374-5:2016</p>  <p>VIRUS</p> <p>For protection against bacteria and fungi a penetration test is required using EN 374-2:2014. For protection against viruses, compliance to ISO 16604:2004 (method B) standard is necessary.</p>
--	---

Chemical Permeation Classifications

Classification	Unclassified	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Time	<10	10-30	30-60	60-120	120-240	240 - 480	>480
Usage	Not recommended	Splash protection		Medium protection		High protection	

For more information, go to www.kimtech.eu/legislation

General Product Selection Guide

	Product Code	Size / Format	Total Case content	Material	Characteristics	ISO or Class	Regulatory	Chemical Splash Protection	Micro-organisms Protection	Food Contact
Laboratory Range										
Kimtech™ Laboratory Gloves										
Prizm™ Multi Layered Neoprene-Nitrile Gloves	99221 to 99225	XS to XL	10 x 100 ⁽⁵⁾ gloves	Neoprene - Nitrile	ultra textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type A (JKLMPT)	EN ISO 374-5 Virus	
Prizm™ Xtra™ Multi Layered Neoprene-Nitrile Gloves	99251 to 99255	XS to XL	10 x 100 ⁽⁵⁾ gloves	Neoprene - Nitrile	ultra textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type A (JKLMPT)	EN ISO 374-5 Virus	
Purple™ Nitrile Gloves	90625 to 90629	XS to XL	10 x 100 ⁽⁵⁾ gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type B (JKT)	EN ISO 374-5 Virus	Approved
Purple™ Xtra™ Nitrile Gloves	97610 to 97614	XS to XL	10 x 50 gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type B (JKT)	EN ISO 374-5 Virus	Approved
Sterling™ Nitrile Gloves	99210 to 99214	XS to XL	10 x 150 ⁽⁴⁾ gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	Approved
Sterling™ Xtra™ Nitrile Gloves	98341 to 98345	XS to XL	10 x 100 gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	Approved
Green Nitrile Gloves	99850 to 99854	XS to XL	10 x 250 ⁽⁷⁾ gloves	Nitrile	textured fingertips	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	
Blue Nitrile Gloves	97982 to 97985	S to XL	10 x 100 ⁽⁵⁾ gloves	Nitrile	smooth	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	
Satin Plus Latex Gloves	SP2110E to SP2550E	XS to XL	10 x 100 ⁽⁵⁾ gloves	Latex	smooth	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	
PFE Latex Gloves	E110 to E550	XS to XL	10 x 100 ⁽⁵⁾ gloves	Latex	textured fingertips	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	
PFE Xtra Latex Gloves	50501M to 50504M	S to XL	10 x 50 gloves	Latex	textured fingertips	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus	
Kimtech™ Lab Coats										
A7 Lab Coat	96700 to 96740	S to 2XL	15 lab coat	SMS ⁽⁴⁾	individually packed	ISO 8 or higher	PPE Cat III	Type 6 (PB)		
A7P+ Lab Coat	97700 to 97740	S to 2XL	15 lab coat	Laminated SMS ⁽⁴⁾	individually packed	ISO 8 or higher	PPE Cat III	Type 6 (PB)	EN 14126:2003	
Kimtech™ Science Wipes										
Precision Wipes (White)	7551	30 x 30 cm	15 boxes x 196 sheets	Paper	1 ply	ISO 8 or higher				
Precision Wipes (White)	7552	11,5 x 21 cm	30 boxes x 280 sheets	Paper	1 ply	ISO 8 or higher				
Delicate Task Wipes (White)	7557	20 x 21 cm	24 boxes x 100 sheets	Paper	2 ply	ISO 8 or higher				
Delicate Task Wipes (White)	7558	20 x 21 cm	15 boxes x 200 sheets	Paper	2 ply	ISO 8 or higher				

* For more details on the products please refer to the corresponding technical data sheet

⁽¹⁾ PE: polyethylene

⁽²⁾ PE/PET: polyethylene/ polyethylene terephthalate

⁽³⁾ PP :polypropylene

⁽⁴⁾ SMS : spunbond - meltblown- spunbond

⁽⁵⁾ 10 x 90 for size XL

⁽⁶⁾ 10 x 140 for size XL

⁽⁷⁾ 10 x 225 for size XL

⁽⁸⁾ PU : polyurethane

	Product Code	Size /Format	Total Case content	Material	Characteristics	ISO or Class	Regulatory	Chemical Splash Protection	Micro-organisms Protection
Sterile Cleanroom Range									
Kimtech™ Sterile Cleanroom Gloves									
G3 sterile Sterling™ Nitrile Gloves	11821 to 11828	6.0 to 10.0	300 pairs	Nitrile	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 sterile White Nitrile Gloves	HC61160 to HC61110	6.0 to 10.0	200 pairs	Nitrile	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 sterile Latex Gloves	HC1360S to HC1310S	6.0 to 10.0	200 pairs	Latex	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G5 sterile Latex Gloves	HC1160S to HC1110S	6.0 to 10.0	200 pairs	Latex	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
Kimtech™ Sterile Cleanroom Apparel									
A5 Sterile Cleanroom Coverall	88800 to 88806	S to 4XL	25 garments	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 5 Type 6	
A5 Sterile Cleanroom Hood with ties	25797	Universal	100 hoods	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 6 (PB)	
A5 Sterile Cleanroom Hood & Mask	36072	Universal	75 hoods	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 6 (PB)	
A5 Sterile Overboots with vinyl sole	12922 / 88808	S/M and univ.	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
A5 Sterile Overboots with wrap-around vinyl foot	31683 / 31696	S/M and univ.	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
A5 Sterile sleeves	36077	Length 45 cm	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
Kimtech™ Sterile Face Masks									
M3 Certified Sterile Pouch-Style Face Mask	62483	Width 25 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with headbands	ISO 5 Class A/B			
M3 Certified Sterile Pleat-Style Face Mask	62467	Width 18 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 5 Class A/B			
M3 Certified Sterile Pleat-Style Face Mask	62470	Width 18 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 5 Class A/B			
M3 Certified Sterile Pleat-Style Face Mask	62494	Width 23 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 5 Class A/B			
Non-Sterile Cleanroom Range									
Kimtech™ Cleanroom Gloves									
G3 Sterling™ Nitrile Gloves	99234 to 99239	XS to XL	1500 gloves	Nitrile	tacky	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 White Nitrile Gloves	HC61010 to HC61014	XS to XL	1000 gloves	Nitrile	tacky	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 NxT™ Nitrile Gloves	62990 to 62995	XS to XL	1000 gloves	Nitrile	slick - double donning	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 Latex Gloves	HC225 to HC555	S to XL	1000 gloves	Latex	smooth	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G5 Sterling™ Nitrile Gloves	98184 to 98189	XS to XL	1500 gloves	Nitrile	tacky	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G5 Latex Gloves	HC2211 to HC5511	S to XL	1000 gloves	Latex	smooth	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
Kimtech™ Apparel									
A8 Particles Protection Coverall	47691 to 47697	S to 4XL	25 garments	SMS ⁽⁴⁾	individually packed	ISO 6 or higher Class C/D	PPE Cat III	Type 5 Type 6	
A8 overshoes	39370 to 39372	S / Univ/ XL	300 overshoes	SMS ⁽⁴⁾	fully coated	ISO 6 or higher Class C/D	PPE Cat I		
Kimtech™ Cleanroom Face Masks									
M3 Certified Pouch-Style Face Mask	62484	Width 25 cm	300 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with headbands	ISO 3 or higher Class C/D			
M3 Certified Pleated-Style Face Mask	62451	Width 23 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 3 or higher Class C/D			
M3 Certified Pleated-Style Face Mask	62452	Width 23 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 3 or higher Class C/D			
M3 Certified Pleated-Style Face Mask	62465	Width 18 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 3 or higher Class C/D			
M3 Certified Pleated-Style Face Mask	62466	Width 18 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 3 or higher Class C/D			
M6 Certified Pleated-Style Face Mask	62477	Width 18 cm	500 masks	PP ⁽³⁾ /[PE/PET] ⁽²⁾	with earloops	ISO 6 or higher Class C/D			
Kimtech™ Cleanroom Face Veils									
M7 Face Veils	62751	33 x 38 cm	150 veils	Low lint PE ⁽¹⁾	with snaps	ISO 6 or higher			
M7 Face Veils	62757	33 x 38 cm	150 veils	Low lint PE ⁽¹⁾	with ties	ISO 6 or higher			

KIMTECH™

BE YOUR BEST

➤ WE'VE GOT YOU COVERED

The Kimtech™ Brand offers you additional resources to help you select the right product for the right application.

➤ For more information visit www.kimtech.eu

➤ For technical assistance contact us at kimtech.support@kcc.com



www.kimtech.eu

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact your local sales representative if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

™/© Trademarks of Kimberly-Clark Worldwide, Inc., or their respective holders and may be used under license.

Publication code: 4874.01 GB 11.20